



Queen Victoria III: Crew Boat. Security Boat. Anytime. Anywhere.

Queen Victoria III is the WORLD'S FIRST weaponised crew boat (weapons not included), with industry-leading speed (27 knots) and endurance (93,000 litres of fuel capacity).

Fitted with strategically positioned ballistic panels and machine guns mountings, and customised with cabins and amenities for security personnel, plus extras such as gunner shields, ballistic glass and Command Center for Head of Security. You can trust Queen Victoria III to provide reliable 24/7 protection for your personnel and property offshore.

Vessel Overview

Vessel	Queen Victoria III: 40-metre Aluminium FastSupportVessel Flex-40SL Design
Model Year	2015
Classification	ABS +A1 HSC +AMS "Crewboat"
Safety Regulation	ABS and Flag State Requirements
IMO	9746372

Regs, Codes, Guidelines MARPOL, SOLAS, IMDG

Hull Particulars

Length Overall	40.00 m
Breadth Moulded	7.60 m
Depth Moulded	3.65 m
Design Draft	1.89 m

Cargo Deck

Clear Deck Area	110 sqm
Deck Cargo Capacity	60 MT
Deck Strength	2.0 MT / sqm
Deck Dimensions	18.35 m x 5.9 m
Cargo Railing Height	1.0 m
Deck Crane	Palfinger PK4501M, 0.5MT @ 6m max outreach
Remarks	Adequate cargo retainers and lashing lugs on both sides for securing deck cargo

Tonnage

GRT	259 MT
NRT	77 MT
DWT	137 MT



Main Machinery

Number of Main Engines	3 units with resilient mountings
Make and Type	Cummins KTA38-M2
Total BHP	3 x 1,350 BHP @ 1900 rpm
Propellers	3 x fixed pitch, nickel alum bronze, 5 blades
Bow Thruster	1 unit electro-hydraulic @ 100 HP
Remote CCTV System for Engine Room	Fitted

Performance

Maximum Speed	27 knots @ 100% MCR @ 35.0 MT DWT
Maximum Fuel Consumption	770 L/hr
Economical Speed	25 knots @ 85% MCR @ 35.0 MT DWT
Economical Fuel Consumption	650 L/hr

Generating Sets (Auxiliaries)

Prime Movers	3 x 122 BHP@ 1500 rpm
Make / Type	3 x Cummins 6BT5.9-DM1
Generators	3 x Alternator Stamford UCM274G 80eKw
Vessel Power Supply	415/220 Volt AC, 50Hz, 3ph + 24 Volt DC
Shore Connection / Food Container Socket	Fitted

Accommodation and Storage (Queen Victoria III Specs)

Passenger Seating Capacity	26 reclining seats for passengers
Main Deck Cabins / Total Bunks	3 / 12 for security personnel
Main Deck Toilet / Shower	2 cubicles for passengers 2 cubicles for security personnel
Crew Cabins/ Total Bunks	4/ 8 for crew 1 cubicle for crew
Crew Toilet/ Shower	2 units of LCD TV Screens
Entertainment System	Fitted
Ballistic Panels(wheelhouse all-round)	Fitted
Machine Gun Mounts (forward and aft)	Fitted
Command Center for Head of Security	Fitted:All Communication Equipments in the wheel house are replicated in the command center.
Crew Mess	Fitted
Walk-In Freezer	Fitted
Walk-In Chiller	Fitted
Dry Stores (main deck and crew deck)	Fitted
Public AddressSystem	Fitted
Locker for Guns, Ammunition and Safety Gear	Fitted



Electronics and Controls

GMDSS	MF/HF 6310 A1+A2
VHF	Sailor 6222
SSB Radio (Non-GMDSS)	ICom IC-M710
Satellite Telephone / Fax	FBB 150
Marine Radar	Simrad NSS 12"
GPS	Furuno GP-32
Echo Sounder	FURUNO FCV 627
Gyro CompassMagnetic	Simrad RGC50
CompassNavtex	Ravira 6"
Public Address /Intercom System	Smartfind UINGTOL LENITEL
SearchLightsEPIRB	San Shin x 3, 1000W McMurdo E5
SART	McMurdo S4
AIS	Samyung S1-30
Thermal Imaging Camera	FLIR TCX Thermal Bullet Security Camera

Tank Capacity

Fuel Oil 93,000 L
 Fresh Water 30,000 L

Oil Pollution Tank Capacity and Control

Dirty Oil Tank 0.8 cbm
 Dispersant 0.2 cbm
 IMO Approved Sewage Treatment Plant Fitted for 15 Pax

Life Saving (SOLAS) Equipment

Life Rafts 4 x 25-man each side, SOLAS
Life Jackets 95
Life Buoys 8 on board as per SOLAS
Rescue Zone Yes
Scrambling Nets 2 units

Other Equipment Pyrotechnics, line-throwing apparatus

Emergency Response Features

Ext FiFi monitor with remote clutch and 600 cbm fire pump
 Motorised Work boat and Davit